

#### THE NETHERLANDS (NEDERLAND)





#### COMMUNICATION

#### Concerning (1):

- approval granted
- approval extended
- approval refused
- approval withdrawn
- production definitively discontinued

of a type of mechanical coupling device or component pursuant to Regulation number 55.

## Approval number: E4\*55R02/02\*0162\*01

Trade name or mark of the device or 1. component

: VBG

Type of device or component 2.

: DBE 895

Manufacturer's name and address 3.

: VBG GROUP AB Herman Kreftings gata 4 S-462 28 Vänersborg

Sweden

If applicable, name and address of the 4.

manufacturer's representative

: Not applicable

Alternative supplier's names or 5. trademarks applied to the device or

component

: Not applicable

Name and address of company or body 6. taking responsibility for the conformity

of production

: Same as item 3.

7. Submitted for approval on 11.07.2023

Technical service responsible for 8. conducting approval tests

TÜV SÜD Auto Service GmbH



#### Approval number: E4\*55R02/02\*0162\*01

Brief description 9.

: Drawbar eye 50mm

Type and class of device or component : DBE 895, D50-X 9.1.

9.2. Characteristic values

Drimary values 9.2.1.

D D	D <sub>c</sub>	S	U	V
(kN)	(kN)	(kg)	(tonnes)	(kN)
190	150	1000		25

Alternative values:

Alternative values	D	C	T I	V
D	D <sub>c</sub>	8		
(kN)	(kN)	(kg)	(tonnes)	(kN)
	-	-	-	-

For class A mechanical coupling devices or components, including towing brackets: 9.3. Not applicable

Vehicle manufacturer's maximum

permissible vehicle mass

: ... kg

Distribution of maximum permissible vehicle mass between the axles

Vehicle manufacturer's maximum

permissible towable trailer mass

: ... kg

Vehicle manufacturer's maximum

permissible static mass on coupling ball: ... kg

Maximum mass of the vehicle, with bodywork, in running order, including coolant, oils, fuel, tools and spare wheel (if supplied) but not including

driver

: ... kg

Loading condition under which the tow ball height of a mechanical coupling device fitted to category M1 (2) vehicles is to be measured -

see paragraph 2 of annex 7, appendix 1 : According to manufacturers documentation

For class B coupling heads, is the 9.4. coupling head intended to be fitted to

an unbraked O1 trailer

: Not applicable

Instructions for the attachment of the coupling device or component type to the vehicle and 10. photographs or drawings of the mounting points (see Annex 2, Appendix 1) given by the vehicle manufacturer:

### Approval number: E4\*55R02/02\*0162\*01

- Information on the fitting of any special reinforcing brackets or plates or spacing 11. components necessary for the attachment of the coupling device or component (see Annex 2, Appendix 1): Additional information where the use of the coupling device or component is restricted to 12.
- special types of vehicles see annex 5, paragraph 3.4.:
- For Class K hook type couplings, details of the drawbar eyes suitable for use with the 13. particular hook type:

: 11.07.2023 14. Date of test report

: 13-00919-CX-GBM Number of test report 15.

: Type plate on the lower side of the drawbar eye Approval mark position 16.

updated regulation, minor technical modification, Reason(s) for extension of approval 17. adaption of drawings

: granted/extended/refused/withdrawn(1) Approval 18.

: Zoetermeer 19. Place

: 31 July 2023 Date 20.

Signature 21.

T. H. K. Spatz

- The list of documents deposited with the Type Approval Authority which has granted 22. approval is annexed to this communication and may be obtained on request.
- 23. Remarks:

...

(1 Strike out what does not apply

<sup>(2)</sup> As defined in the Consolidated Resolution on the Construction of Vehicles (R.E.3.), document ECE/TRANS/WP.29/78/Rev.3, para. 2 - www.unece.org/trans/main/wp29/wp29wgs/wp29gen/wp29resolutions.html.

# **VBG GROUP**

# INFORMATION DOCUMENT No DBE895-55R+01-Idoc

relating to the ECE type-approval as a component of mechanical coupling devices for motor vehicles and their trailers (UNECE R55).

0.	GENERAL			
0.1,	Make (trade name of manufacturer):	VBG		
0.2.	Type and commercial description(s):	DBE 895		
0.5	Name and address of manufacturer:	VBG GROUP AB S-462 28 Vänersborg Sweden		
0.7.	Location and method of affixing of the ECE approval mark:			
	Type plate on the lower side of the drawbar eye shaft			
0.8	Address(es) of assembly plant(s):	VBG GROUP TRUCK EQUIPMENT AB S-462 28 Vänersborg Sweden		
1.	CONNECTIONS BETWEEN DRAWING VEHICLES AND TRAILERS AND SEMITRAILERS			
1.1.	Detailed technical description (including drawings and material specifications) of the type of the mechanical coupling device:  50 mm welded on drawbar eye.  Overall dimensions: See enclosed data.  Drawings and material specifications: See enclosed list.			
1.2.	Class and type of coupling device(s):			
	Class D50-X, non-standard 50 mm diameter pin drawbar eyes			
1.3.	Maximum D-value: Dc-value:	190 kN 150 kN		
1.4.	Maximum vertical load S at the coupling point: 1000 kg			
1.6.	Maximum V-value:	25 kN		
1.5.	Maximum load U at the fifth wheel coupling:	Not applicable		
1.7.	Instructions for attachment of the coupling type to the vehicle, additional information regarding restrictions of use to special types of vehicles:			
	See enclosed mounting instructions.			
1.8.	Information on the fitting of special towing brackets or mounting plates: Not applicable			
2023-07-10 /	MH			